

Net wt. 50 lbs.

# **Premium Fertilizer**

## (22.7 kg)

## For commercial use only

Application Recommendation:

To hasten results, aerate soil before application and water after applying. Cool Weather: Apply 4 to 6 times annually at a rate of 3/4 pounds N/1,000 sq. ft. Apply 4 to 6 times annually at a rate of .0.3 kg N/square meter.

Warm Weather: Apply 4 to 8 times annually at a rate of 3/4 pounds N/1,000 sq. ft. Apply 4 to 8 times annually at a rate of .0.3 kg N/square meter.

Hot Weather: Apply 8 to 10 times annually at a rate of 3/4 pounds N/1,000 sq. ft. Apply 8 to 10 times annually at a rate of .0.3 kg N/square meter.

To recover stressed turf, increase application rate by 1.5 times and core aerate.

## APPLY ONLY AS DIRECTED

Spreader Setting Information: READ BEFORE USING PRODUCT The following spreader settings are approximate and will vary with equipment condition and application technique. You may need to adjust these settings to achieve the desired coverage.

domoto ano doonod ootorago.			
Typical Spreader Settings:			8-0-2
Lbs. N/1,000 sq. ft	1/2		1.0
Sq. ft./50 lb. Bag	8,000		4,000
Sq. meter/22.7 kg bag	745		
Cyclone	5	6	7
Earthway Rotary			22
Lesco	K	L	M
PSB Priselawn	6	7	8
Scotts RX7		J	K
Scotts R8	L	M	N
Spyker		6	7

### Warranty Limitations:

There are no warranties that extend beyond the guaranteed analysis on the face hereof. All claims against guarantee are limited to replacement of product or refund of purchase price, or by law.

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.aapfco.org/metals.html



Warning: Keep from reach of children. Do not inhale or ingest product. May cause irritation to eyes or sensitive skin. Safety Data Sheet is available upon request.

For longest storage life, keep sealed tightly after opening and store in a dry place.

WARNING: This product can expose you to chemicals including Crystalline Silica Quartz/Sand, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Do not apply near water, storm drains, or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to the growing area and sweep any product that lands on driveways, sidewalks or streets back onto the growing area.

Guaranteed By: Agri-Grow North America, LLC 129 Eavrestown Rd, Southampton, NJ 08088 ph: (484) 567-0697 • email:customerservice@agrigrowna.com

### **Guaranteed Analysis** Т

Total Nitrogen (N)	8.00%
1.00% Water Soluble Nitrogen	
7.00% Water Insoluble Nitrogen*	
Soluble Potash (K <sub>2</sub> O)	2.00%
Calcium (Ca)	5.00%
Magnesium (Mg)	
Sulfur (S)	1.20%
1.2% Combined Sulfur	
Copper (Cu)	0.10%
Iron (Fe)	1.20%
Manganese (Mn)	
Zinc (Zn)	0.10%

Derived from: Feather meal, calcium carbonate, meat and bone meal, potassium magnesium sulfate, potassium sulfate, iron oxide, copper sulfate, manganese oxide, zinc oxide

\*7.00% Slow release Nitrogen derived from Feather Meal.

## ALSO CONTAINS NON PLANT FOOD INGREDIENTS

Bacillus amyloliquefaciens 400,000 CFU per gram, Bacillus azotoformans 400,000 CFU per gram, Bacillus coagulans 400,000 CFU per gram, Bacillus firmus 400,000 CFU per gram, Bacillus licheniformis 400,000 CFU per gram, Bacillus megaterium 400,000 CFU per gram, Bacillus pumulis 400,000 CFU per gram, Bacillus subtilis 400,000 CFU per gram, Paenibacillus durum 400,000 CFU per gram, Paenibacillus polymyxa 400,000 CFU per gram, Pseudomonas aureofaceans 80,000 CFU per gram, Pseudomonas fluorescence 80,000 CFU per gram, Streptomyces griseus 80,000 CFU per gram, Streptomyces lydicus 80,000 CFU per gram, Trichoderma hamatum 80,000 CFU per gram, Trichoderma harzianum 80,000 CFU per gram, Trichoderma reesei 80,0000 CFU per gram



**Expiration Date:** 

082820